

# UNCLASSIFIED

AD NUMBER
ADB064540
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Test and Evaluation; 16 Nov 1981. Other requests shall be referred to Director, Defense Nuclear Agency, Washington, DC 20305.
AUTHORITY
DNA Titl Memo, 3 Apr 1992

THIS PAGE IS UNCLASSIFIED

L  
AD B 064540

APR 200711  
(2)  
DNA 5648T

# THE DNA NUCLEAR BLAST STANDARD (1 KT)

Charles E. Needham  
Joseph E. Crepeau  
Systems, Science and Software, Inc.  
P.O. Box 8243  
Albuquerque, New Mexico 87198

30 January 1981

Final Report for Period 2 January 1980—30 January 1981

CONTRACT No. DNA 001-80-C-0102

Distribution limited to U.S. Government agencies only (Test and Evaluation), 16 November 1981. Other requests for this document must be referred to the Director, Defense Nuclear Agency, Washington, D.C. 20305.

THIS WORK SPONSORED BY THE DEFENSE NUCLEAR AGENCY  
UNDER RDT&E RMSS CODE 8344080484 Y99QAXSG67710 H2880D.

Copy available to DTIC does not  
permit fully legible reproduction.

Prepared for  
Director  
DEFENSE NUCLEAR AGENCY  
Washington, D. C. 20305

DTIC  
ELECTE  
MAY 18 1982

B

82 04 16 009

DTIC FILE COPY

Destroy this report when it is no longer  
needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY,  
ATTN: STTI, WASHINGTON, D.C. 20305, IF  
YOUR ADDRESS IS INCORRECT, IF YOU WISH TO  
BE DELETED FROM THE DISTRIBUTION LIST, OR  
IF THE ADDRESSEE IS NO LONGER EMPLOYED BY  
YOUR ORGANIZATION.



## **DISCLAIMER NOTICE**

**THIS DOCUMENT IS BEST QUALITY  
PRACTICABLE. THE COPY FURNISHED  
TO DTIC CONTAINED A SIGNIFICANT  
NUMBER OF PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.**

---

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DNA 5648T	2. GOVT ACCESSION NO. AD-B004 54PL	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE DNA NUCLEAR BLAST STANDARD (1 KT)	5. TYPE OF REPORT & PERIOD COVERED Final Report for Period 2 Jan 80—30 Jan 81	
7. AUTHOR(s) Charles E. Needham Joseph E. Crepeau	6. PERFORMING ORG. REPORT NUMBER SSS-R-81-4845	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Systems, Science and Software, Inc. P.O. Box 8243 Albuquerque, New Mexico 87198	8. CONTRACT OR GRANT NUMBER(s) DNA 001-80-C-0102	
11. CONTROLLING OFFICE NAME AND ADDRESS Director Defense Nuclear Agency Washington, D.C. 20305	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Subtask Y99QAXSG677-10	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	12. REPORT DATE 30 January 1981	
	13. NUMBER OF PAGES 168	
	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
	16a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to U.S. Government agencies only (Test and Evaluation), 16 November 1981. Other requests for this document must be referred to Director, Defense Nuclear Agency, Washington, D.C. 20305.		
17. DISTRIBUTION STATEMENT (of the abstracts entered in Block 16, if different from Report)		
18. SUPPLEMENTARY NOTES This work sponsored by the Defense Nuclear Agency under RDT&E RMSS Code B344090464 Y99QAXSG67710 H2590D.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Nuclear Detonation Airblast Shock Wave Blast Standard Blast Scaling		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A set of subroutines has been developed which provide complete definition of the blast environment resulting from the free air detonation of a one kiloton device in a sea-level atmosphere. The subroutines provide the pressure, density, and velocity as a function of space and time (from 1 ms to several minutes).  The analytic fits are compared with results of hydrodynamic calculations and with experimental data. Blast parameters are		

7D FORM 1, JAN 73, 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (Continued)

as a function of radius at a given time. By successive calls to the routines, time histories of the various parameters may be generated.

A complete set of scaling routines is included to permit definition of blast waves resulting from arbitrary yield and altitude combinations. A real gas equation of state for air and a model of the US Standard atmosphere are also included.

This report supercedes AFWL-TR-73-55 and AFWL-TR-73-55 (REV).

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1. INTRODUCTION .....	3
2. THE DATA BASE .....	4
3. OBJECTIVES .....	6
4. WAVEFORM DESCRIPTION .....	7
5. SUBROUTINE DEFINITION .....	18
6. USE OF THE ROUTINES .....	21
7. RECENT DEVELOPMENTS AND CONCLUSIONS .....	24
REFERENCES .....	27

### Appendix

I. COMPARISON OF THE FIT WITH THE 0.50 METER SAP CALCULATION .....	29
II. COMPARISON OF 1-KT STANDARD WITH OTHER FITS .....	85
III. PEAK OVERPRESSURES AS A FUNCTION OF RADIUS .....	109
IV. FORTRAN LISTING .....	111
V. PARAMETER VERSUS TIME PLOTS AT SELECTED RADII .....	131



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
<b>B</b>	<b>23</b>

## 1. INTRODUCTION

A requirement for the description of the blast environment from a 1-kiloton, free-air detonation in a sea-level atmosphere has been acknowledged for many years. This requirement has been fulfilled by a variety of diverse calculations, curves and experimental data (Reference 1). In each case, only a partial answer could be given, such as peak overpressure versus distance or time of arrival versus distance.

One-dimensional calculations based on first principles seemed to provide a solution. Probably the most famous of these was the IBM Problem "M" of the late 1940s (Reference 2). Considerable advances in the state-of-the-art of hydrodynamic calculations have been made in the intervening years as more physics was included in the codes. Even now, however, differences occur in the results of such calculations for a variety of reasons, ranging from the basic differencing method used to the personal preference of the person running the code.

A Nuclear Blast Standard (1 KT) was published by the Air Force Weapons Laboratory (AFWL) in 1973 (Reference 3). Having withstood the tests of time with only minor modifications, the proposed standard has been accepted and is presented herein.



## 2. THE DATA BASE

The set of subroutines presented in this report describe the airblast from a 1-kiloton, free-air detonation at sea level.

These subroutines were developed as a fit to the results of one- and two-dimensional radiation hydrodynamic and pure hydrodynamic calculations in Lagrangian and Eulerian coordinates using first and second order differencing methods as well as acoustic theory for the very late times (Reference 4).

A sufficient number of varied calculations have been made so that effects of zone size, difference method, or other peculiarities of individual calculations have been eliminated from the fits. In addition to the first principle calculations, the fits have been checked with experimental data where available (References 1 and 5). Several previously published curves for overpressure versus distance have also been consulted (References 1, 6, and 7).

Extrapolation has been used on the calculated peak overpressures. This extrapolation has reduced the error due to numerical smearing to less than 1 percent over a factor of ten in zone size. We are thus able to give considerable confidence to the calculated peak overpressures and arrival times as a function of distance. These parameters form the basic information for the fits. The fit to the peak overpressure versus distance curve was presented in August 1971 at the DASA Land-Naval Systems Long Range Planning meeting and is published in the Proceedings (Reference 8). Since that time some minor modifications have been made, but the form of the equation remains unchanged. The maximum error between fit and extrapolated calculation is approximately 5 percent with the average

error less than 3 percent over the range from ten meters to several kilometers. The maximum error occurs in the early time region where secondary shocks cause perturbations at the shock front.

The radius versus time curve is accurate to 1 percent over the range from ten meters to several kilometers with the maximum error (1 percent) occurring between 15 and 40 milliseconds (160 and 270 meters).

We should point out that this set of fits ignores secondary shocks and is designed to give accurate answers in the relatively ideal case of single shocks. The fits are designed to account for the added impulse due to secondary shocks without giving a second peak. The calculations show that no consequential secondary shocks occur beyond a time of 0.01 second.

The user is warned that the use of any "standard" definition of a blast wave for pressure greater than about 100 MPa can lead to errors. For radii less than about 15 meters (~100 MPa) the specific weapon characteristics may dominate the blast environment.

### 3. OBJECTIVES

The 1-KT Standard was designed to accomplish the following objectives:

1. Determine a functional relation that describes the waveforms as a function of radius for each of the variables, overpressure, overdensity, and material velocity.
2. Provide functional relations for peak values for each of these variables as a function of radius.
3. Provide a method for obtaining the time of arrival of the shock front.
4. Determine functional relations for the positive phase length as a function of time.
5. Whenever possible these relations are required to be physically meaningful and to reproduce the predicted asymptotic behavior of the variables.

#### 4. WAVEFORM DESCRIPTION

The following is a general statement which traces the evolution of the waveform from strong shock to a nearly acoustic wave.

##### 4.1 Overpressure Waveform

The first objective was to find a functional relation that describes the overpressure waveform, i.e., a relation between radius and overpressure at any given time. This relation must necessarily describe the following overall time history of the waveform development.

a. At early times the entire waveform consists of positive overpressure values (positive phase) only. The overpressure values that describe the waveform decay monotonically from the peak overpressure value at the shock radius to a smaller, but positive, overpressure value at zero radius. As time progresses, the waveform peak overpressure value decreases as does the positive overpressure value at zero radius.

b. At a time  $t_2$  ( $\approx 0.13$  second) the waveform decays in such a manner that it assumes a zero overpressure value at zero radius.

c. For time greater than  $t_2$  the waveform is described by both negative (negative phase) and positive (positive phase) overpressure values. For a brief period of time the waveform decays monotonically from its positive peak overpressure value to a zero overpressure value at some radius ( $R_2$ ) and continues monotonically to a negative overpressure value at zero radius.

d. From some time ( $t_1$ ) on, the strictly monotonic decay ceases and the waveform begins to assume a waveform which

will be referred to as a well defined negative phase waveform. These waveforms can be described as follows: The waveform decays monotonically from a peak overpressure (positive) value through a zero overpressure value at some radius  $R_z$ , and continues to a minimum negative overpressure value at some radius,  $R_{MIN}$ ; for radii less than  $R_{MIN}$  and continuing to zero radius, the overpressure remains negative but monotonically returns to zero overpressure value as the radius approaches zero.

The region defined in paragraph d above may be characterized by five basic parameters:

1. The peak overpressure ( $OP_p$ ).
2. The radius of the peak ( $R_p$ ).
3. The radius of the point at which the overpressure is zero ( $R_z$ ).
4. The minimum overpressure ( $OP_{MIN}$ ).
5. The radius of the minimum overpressure ( $R_{MIN}$ ).

Using essentially trial-and-error methods, we found that the initial decreasing region immediately behind the shock could be fit very well by a hyperbola of the form.

$$OP(r) = \frac{R_p - r}{A(R_p - r) + B} + OP_p \quad (1)$$

where A and B are functions of time. This form holds from  $r = R_p$  through  $r = R_z$ . It is then necessary to modify the function so it passes through the points  $R_{MIN}$  and  $OP_{MIN}$  and returns to zero. This is accomplished by multiplying the hyperbola by the S shaped function (Reference 9)

$$G(r) = \left(1 - b e^{c r^n}\right) \quad (2)$$

where  $b$ ,  $c$ , and  $n$  are functions of the basic parameters above. Unfortunately  $G(r)$  approaches 1 as  $r \rightarrow \infty$  but may be significantly different from 1 at  $r = R_p$ .  $G$  was modified to the form

$$H(r) = G(r) \left( \frac{R_p - r}{R_p - R_z} \right) + \left( \frac{r - R_z}{R_p - R_z} \right) \quad (3)$$

for  $R_z \leq r \leq R_p$  and  $H(r) = G(r)$  for  $r < R_z$ .

The expression for overpressure versus radius at any time greater than 0.95 second for  $R_z \leq r \leq R_p$  is given by

$$OP(r) = \left( \frac{R_p - r}{A(R_p - r) + B} + OP_p \right) \left[ \left(1 - b e^{c r^n}\right) \left( \frac{R_p - r}{R_p - R_z} \right) + \frac{r - R_z}{R_p - R_z} \right] \quad (4)$$

and for  $r \leq R_z$  is given by

$$OP(r) = \left( \frac{R_p - r}{A(R_p - r) + B} + OP_p \right) \left(1 - b e^{c r^n}\right) \quad (5)$$

In the time region described earlier in this section ( $t < 0.1$  second) there is no point at which the overpressure is zero.  $R_{MIN}$  is then taken to be zero and  $OP_{MIN}$  is the overpressure at (or near)  $R_{MIN}$ . The overpressure waveform for  $t < 0.1$  second is of the form

$$OP(r) = B e^{c r} + OP_{MIN} \quad (6)$$

where  $c$  is a function of time, and  $B$  is determined by the peak conditions. In the time interval  $0.1 \leq t \leq 0.95$  a smooth switching function is used to transform the early-time function to that of late time. The overpressure waveform for any time was now defined in terms of the five basic parameters.

The peak overpressure versus radius curve is a slightly modified version of the formula presented at the DNA Long-Range Planning Meeting in 1971 (Reference 8).

The formula demonstrates our objective of finding physically meaningful relations. The formula is of the form

$$OP_P(R) = \frac{A}{R^3} + \frac{B}{R^2} + \frac{C}{R \left[ \ln \left( \frac{R}{R_0} \right) + 3 \exp \left( -\frac{1}{3} \left( \frac{R}{R_0} \right)^{\frac{1}{2}} \right) \right]^{\frac{1}{2}}} \quad (7)$$

where  $A$ ,  $B$ ,  $C$ , and  $R_0$  are constants, and  $R$  is the shock radius.

The first term reflects the reduction in pressure at early times due almost entirely to the increasing volume. We realize that radiation losses reduce the pressure even more rapidly than  $1/R^3$  at very early times, however, comparison with radiation-hydrocodes substantiates the inverse  $R^3$  behavior in the region of the fireball even prior to hydrodynamic shock formation.

The second term is the "normal" spherical divergence term, the pressure falling inversely as the surface area.

The third term is a modification of the asymptotic form, the shock wave decaying toward the behavior of a sound wave. The asymptotic form before modification is

$$OP_P(R) = \frac{C}{R \sqrt{\ln \left( \frac{R}{R_0} \right)}} \quad (8)$$

This form is not defined for  $R < R_0$  and rather than using a switching function, the term was modified (see Equation (7)) to retain definition for all  $R$ .

The radius versus time curve is a combination of two regions. At times less than 0.21 second, a function of the form

$$R(t) = at^{0.371} \left[ 1 + (bt+c) \cdot \left( 1 - e^{-dt^{0.79}} \right) \right] \quad (9)$$

where  $a$ ,  $b$ ,  $c$ , and  $d$  are constants.

For times greater than 0.21 second, an iterative procedure was used in the original 1-KT Standard.

The zero-crossing point ( $R_z$ ) and the positive-phase duration ( $R_+$ ) have well defined asymptotic forms. These are given by

$$R_z = C_0 t + a \quad (10)$$

and

$$R_+ = b \left( \ln \frac{R}{R_0} \right)^{\frac{1}{2}} \quad (11)$$

where  $a$  and  $b$  are constants,  $C_0$  is ambient sound speed, and  $R_0$  is the same as in the overpressure versus distance expression. The same modification to the  $R_+$  relation must be made to ensure definition for all  $R$ . The peak radius is defined as  $R_z + R_+$ , thus retaining the asymptotic form for  $R_p$ . However,  $R_+$  is defined in terms of  $R_z$ , thus, the necessity of the iteration. The iterative procedure was time consuming and comparison with early-time hydrodynamic calculations indicated that the asymptotic form was not really applicable to the early time (0.1 to 0.4 second) behavior.



To eliminate the necessity of an iteration, a function was needed to define the positive phase length ( $R_+$ ) as a function of time. The revised 1-KT Standard included such a function, however it suffered from larger inaccuracies than did the iterative scheme it replaced. The current Standard recommends a new function for times greater than 0.21 second. The accuracy has been checked from 0.21 to 200 seconds and has a smaller greatest relative error than either of the two previous fits. The fit is of the form

$$R_+ = a + b \ln(t) + ct^d \quad (12)$$

where  $a$ ,  $b$ ,  $c$ , and  $d$  are constants and  $t$  is time.

A smooth-switching function is used in the region 0.21 to 0.28 second. The point of zero overpressure is of the form  $R_2(t) = (1-bt^c) (c_0 t + d)$  for times  $> 0.95$  second, where  $c_0$  is the ambient sound speed,  $t$  is time, and  $b$ ,  $c$ ,  $d$  are constants. The radius at which the minimum occurs is given by

$$R_{MIN}(t) = R_2(t) - at^b \quad (13)$$

for  $t > 0.21$  second, where  $a$  and  $b$  are constants. The overpressure minimum is defined in terms of the peak overpressure and time.

#### 4.2 Velocity Waveform

The general description of the evolution of the velocity waveform is similar to that given for the overpressure waveform. However, significant timing and shape differences must be reflected in the fits.

The five basic parameters used to describe the velocity waveform are:

1. The peak velocity.
2. The radius of the peak velocity.
3. The zero velocity point.
4. The minimum velocity.
5. The radius of the minimum velocity.

The peak velocity is obtained through the Rankine-Hugoniot relations using a variable  $\gamma$  equation of state for air.

The radius of the shock front (the peak velocity) is the same as that for the overpressure and this value is used.

The equation for the radius of the zero crossing is similar in form to that for the overpressure and differs only in the constants.

The radius of the minimum and the minimum velocity also have forms similar to those of the overpressure.

The radius of zero velocity becomes defined at an earlier time than that of the overpressure (about 85 meters). The switch to the late-time form takes place at an earlier time (0.7 second) and the form of the early time waveform is

$$V(r) = V_{pk} (r/R_p)^a \quad (14)$$

where  $V_{pk}$  and  $R_p$  are the peak velocity and radius, respectively, and  $a$  is a function of time.

This form, as in the overpressure fit, does not account for secondary shocks. The neglect of velocity fits at early times and small radii ( $r < R_p/2$ ) can be justified by comparing the momentum from the fit and calculation. Although the velocities may be significant, the density is small, and therefore, the momentum, energy and mass flux are also small (by two orders of magnitude) and may be ignored.

A smooth switching function brings the velocity waveform from the early to the late time form between 0.25 and 0.7 second.

#### 4.3 Overdensity Waveform

The overdensity waveform differs from that of the overpressure and velocity in that it has a zero crossing even at very early times (due to conservation of mass). The overdensity has the following evolution:

- a. The Monotonic Decreasing Phase. Here the overdensity drops from some peak value at the shock front to a minimum value (negative) and remains nearly constant to the center.
- b. The Break-Away Phase. The shock begins to separate from the hot underdense fireball. The overdensity decreases from the peak, begins to level off, and then rapidly decreases to a minimum value where it remains nearly constant to the center. This nearly constant region becomes well defined and is referred to here as the density well.
- c. The Late-Time Phase. The shock is separated from the density well. The overdensity decreases from the peak to a minimum value, increases to nearly zero and then decreases rapidly into the density well. In one dimension, this well persists for many seconds. In two dimensions it begins to fill in and distort at a time depending on the height of burst.

The peak overdensity is found from the peak overpressure using the Rankine-Hugoniot conditions. The ideal Rankine-Hugoniot conditions specify the density as a function of shock pressure and ambient conditions

$$\frac{\rho_1}{\rho_0} = \frac{(\gamma+1)P_1 + (\gamma-1)P_0}{(\gamma-1)P_1 + (\gamma+1)P_0} \quad (15)$$

where subscripts 1 and 0 represent the shock and ambient conditions, respectively, this relation is valid for variable  $\gamma$  gases if an appropriate average  $\gamma$  is chosen. For a gas with specific heat, a linear function of temperature, the appropriate average is given by

$$\frac{1}{\gamma_e - 1} = \frac{1}{2} \left( \frac{1}{\gamma_0 - 1} + \frac{1}{\gamma_1 - 1} \right) \quad (16)$$

where  $\gamma_e$  is the average value,  $\gamma_0$  is the ambient, and  $\gamma_1$  is the value immediately behind the shock point.

$$\gamma_e = \frac{2(\gamma_0 - 1)(\gamma_1 - 1)}{(\gamma_0 - 1) + (\gamma_1 - 1)} + 1 = \frac{2(\gamma_1 - 1)}{\frac{\gamma_1 - 1}{1 + \frac{1}{\gamma_0 - 1}}} + 1 \quad (17)$$

For ambient sea level air  $\gamma_0 = 7/5 = 1.4$ , then

$$\gamma_e = \frac{2(\gamma_1 - 1)}{1 + 5/2(\gamma_1 - 1)} + 1 \quad (18)$$

This is the form used in finding shock front conditions. The value for  $\gamma_1$  is found by an iterative procedure through a real air equation of state.

We recognize that the combination of equations 15 and 18 is not the usual formulation of the Rankine-Hugoniot equations for density, however, this form is in agreement with available radiation hydrodynamic calculations.

If the usual equation

$$\rho_s = \rho_o \left\{ \frac{1 + \left( \frac{\gamma_s + 1}{\gamma_s - 1} \right) p_s / p_o}{\left( \frac{\gamma_o + 1}{\gamma_o - 1} \right) + \frac{p_s}{p_o}} \right\} \text{ is used} \quad (19)$$

the shock densities resulting are as much as 30 percent greater than any current radiation hydrocode results for radii less than 40 meters. Beyond 40 meters the two formulations are in good agreement.

The discrepancy between radiation hydrodynamic calculational results and the ideal Rankine-Hugoniot conditions above 6 MPa has not been resolved. It may be some physical process or processes or it may be the inability of hydrocodes to resolve high pressure shock waves.

The radius of the peak is given by the radius of the shock front. The radius of the zero crossing has the same late time and asymptotic form as the overpressure. At early times the zero crossing has the form

$$R_z(t) = at^b \quad (20)$$

This form is used for times less than 0.265 second after which time the late time for is used.

During the monotonic decreasing phase; the overdensity waveform is given by

$$OD(r) = A + Be^{cr} \quad (21)$$

where A, B, and c are functions of time.

The late time fit has the same form as the late time overpressure and velocity fits. This means that the long lasting density well is not described for times greater than 0.2 second. This is also true of two-dimensional calculations where the duration of the density well is a function of the height of burst. Therefore, this seems to be a sufficient description of the overdensity for blast environment based on one dimensional behavior.

The switching from early time to late time form takes place between 0.2 and 1 second.

## 5. SUBROUTINE DEFINITION

Considerable care has been taken to ensure that the routines will be compatible with a large variety of computers and compilers. The routines are written in standard FORTRAN. Word length or exponent size limits should not be of concern to any user.

SUBROUTINE PEAK calculates all the information needed for the three waveform fits--overpressure (OP), overdensity (OD), and velocity (V)--by a continuous series of transfers to particular subroutines and functions. The subroutine is called with time and radius, and returns the peak radius, the peak and minimum overpressure, overdensities, and velocities, the radii of zero, and minimum OP, OD, and V. The calculated values are carried from one routine to another through the labeled common block, WFRT, or may be obtained through an argument list (see Section 6).

FUNCTIONS WFZR (waveform overpressure zero radius), WFDZR (waveform density zero radius), and WFPVZR (waveform velocity zero radius) calculate the waveform radii at zero overpressure, overdensity, and velocity, respectively. This is the radius which separates the negative-positive phase portions of the waveform at the specified time  $t$ .

FUNCTION WFPR2 (waveform peak radius) calculates the radius of the shock front at the specified time ( $t$ ). The radius of the shock front must be calculated before the OP, OD, or V peaks can be determined. The overpressure zero point must be calculated before WFPR is called.

FUNCTIONS WFPKOP (waveform peak overpressure), WFPKOD (waveform peak over density), and WFPKV (waveform peak velocity) are callable with the peak radius and they return the waveform peak OP, OD, and V, respectively. The routines must be executed

in the above order, as the OP peak is needed in the OD peak calculation, and both are necessary to determine the V peak.

SUBROUTINES WFRMT, WDRMT, and WVRMT are callable with a specified time (t) and radius (r), and calculate the OP, OD, and V at r. These routines require peak radius, peak and minimum parameters, and zero crossings before being called.

SUBROUTINE AIR is the equation of state for air used at the Air Force Weapons Laboratory and is included as part of this package. It is used in evaluating the Rankine-Hugoniot relations for variable  $\gamma$ . The calling sequence is

CALL AIR(E,RHO,GMONE)

where E is the energy density in ergs/gm, RHO is the density in gm/cc, and GMONE is  $(\gamma-1)$ .

SUBROUTINE MATM62 is a model atmosphere. Specifically, it is the 1962 U.S. Standard temperate atmosphere with extension to 700 kilometers. The subroutine is called with an altitude (in meters) and it returns the atmospheric pressure, density and temperature at that altitude.

SUBROUTINE SCALKT calculates the modified SACH's scaling coefficients using the model atmosphere MATM62. The routine is called with the height of the point of interest in m and the yield of the burst in KT. The routine then calculates scaling factors for velocity, density, time, distance and pressure.

SUBROUTINE WELL defines the fireball density well to a time of 1 second. The fireball is filled between 1 and 1.2 seconds because, in the real case, a fireball would have risen from the point of detonation. For a more realistic model of the fireball a three-dimensional model must be used.



SUBROUTINE SHOCK is called with an arbitrary yield and altitude. Scaling is done interior to the routine and the overpressure, overdensity and velocity for the given yield, altitude, time, and radius are returned.

## 6. USE OF THE ROUTINES

For a 1-kiloton, sea-level, free-air burst PEAK will be the only routine called. Given a time and a radius, subroutine PEAK returns the shock radius, the overpressure, overdensity, and velocity at the shock front and at the given radius.

The routines are much faster if several radii are called for a given time rather than several times at a given radius.

The first evaluation at a new time requires approximately four times as much computation as subsequent radii at the same time.

The calling sequence is CALL PEAK (T, R, SR, OPK, ODK, OPR, ODR, VPK, VR) where

T	is time in seconds
R	is radius in m
SR	is the shock radius at T in m
OPK	is the overpressure at SR in Pascals
ODK	is the overdensity at SR in $\text{kg/m}^3$
OPR	is the overpressure at R in Pascals
ODR	is the overdensity at R in $\text{kg/m}^3$
VPK	is the velocity at SR in m/s
VR	is the velocity at R in m/s

The results are for a standard nuclear 1-kiloton detonation in a free-air, sea-level environment.

For arbitrary yields and altitudes, subroutine SHOCK may be used.

The calling sequence is CALL SHOCK (YIELD, ALT, T, R, OPR, ODR, VR) where the input parameters are:

YIELD - the yield in kilotons  
 ALT - the altitude of the point of interest  
       in meters  
 T - the time in seconds  
 R - the radius from burst point to the  
       point of interest in meters

The calculated parameters are:

OPR - overpressure in pascals at the point  
 ODR - overdensity in  $\text{kg/m}^3$  at the point  
 VR - velocity in m/s at the point

SUBROUTINE MATM62 provides ambient atmospheric conditions as a function of altitude. It is based on the 1962 U.S. Standard temperate atmosphere. The routine has five arguments, the first is the altitude of interest (in meters). The routine returns in order, the pressure, sound speed, density and temperature. Caution should be used when asking for atmospheric parameters above 100-km altitude. MATM62 assumes the constituency of the atmosphere to be that of sea level, and does not account for the molecular dissociation in the ionosphere.

CALL MATM62 (ALT,WSP,CS,WSR,WST)  
 WSP - Pressure (pascals)  
 CS - Sound Speed (m/s)  
 WSR - Density ( $\text{kg/m}^3$ )  
 WST - Temperature ( $^{\circ}\text{K}$ )

SUBROUTINE AIR is the Doan Nickel equation of state for air (Reference 10). The units for this routine are cgs. There are three arguments for SUBROUTINE AIR. The specific energy and density are the first two arguments, and the value of  $\gamma-1$  (where  $\gamma$  is the ratio of specific heats) is returned as the third argument. This routine is valid for densities from 10 times ambient to  $10^{-7}$  of ambient and for energies up to  $2 \times 10^{12}$  ergs/gm above which it degrades gracefully.

EEE        - Specific Energy (ergs/gm)  
 RRR        - Density (gm/cc)  
 GMONE      -  $(\gamma - 1)$ , where  $\gamma$  is the ratio of specific  
                  heats

Occasionally it may be desirable to determine the shock-front pressure at some distance from the burst. Function WFPKOP (waveform peak overpressure) may be used, however, the units are c.g.s.. WFPKOP returns the shock-front overpressure in dynes per square centimeter for a range R in cm.

The WFPR 2 function returns the shock radius in cm at a time (t) in seconds.

SUBROUTINE SKALKT calculates the various scaling coefficients for arbitrary yield and altitude. The routine is called with the height of the field point and the yield of the burst.

HFPT       - Height of the field point (m)  
 WB        - Yield of the burst (kt)

The output parameters are the velocity, density, time, distance, and pressure scaling factors. CAUTION, the time scaling factor is the inverse.

VSCALE    - Scales 1-kiloton, sea-level velocity to  
                  WB, HFPT  
 DSCALE    - Scales 1-kiloton, sea-level density to  
                  WB, HFPT  
 TSCALE    - Scales HB, HFPT time to 1-kiloton sea level  
 CSCALE    - Scales 1-kiloton, sea-level distance  
                  to WB, HFPT  
 PSCALE    - Scales 1-kiloton, sea-level pressure to  
                  WB, HFPT

For implementation and proper use of the scaling factors, refer to subroutine SHOCK. It is not recommended that other routines or functions be used independently.

## 7. RECENT DEVELOPMENTS AND CONCLUSIONS

As work on this model progressed, two deficiencies became apparent. Several potential users have expressed the desire to have the density of the fireball more well defined at late times. This becomes a two-dimensional problem because the fireball rises in time while the shock remains approximately spherical. The structure within the fireball becomes even more complex if we include the effects of reflected shocks and shock torusing. Although these effects are not included in this model, a fully three-dimensional model (LAMB) is presently available to DNA users through Kaman TEMPO, Albuquerque.

Four changes have been made to the 1-KT Standard routines. of References 3 and 11. The first is in the function WFPKOP, which calculates the peak overpressure as a function of radius. The constants in the data statement have been changed back to those of Reference 3. The constants are as follows:

<u>Parameters</u>	<u>From</u>	<u>To</u>
AC	3.18E18	3.04E18
AQ	1.00E14	1.13E14
ASTAR	9.0E9	7.9E9
RSTAR	4.454E4	Unchanged

The major effect is in the region of peak pressures below 5 psi (30 KPa). The new constants yield a lower overpressure in this region. The higher pressure region is affected very little.

The radius of the shock front as a function of time is calculated in the function WFP2. The changes in this routine affect answers for times greater than 0.1 seconds. Two separate equations are used for times less than 0.21 seconds or greater than 0.28 seconds. A linear interpolation of the two equations

is used between these two times. Agreement with the 0.5-m SAP calculation is very good for all times as shown in Appendix I.

A third change was made in the function routine WELL. A constant in the equation for DEPTH was changed from  $-1.175\text{E-}3$  to  $-1.21\text{E-}3$ . This allows the overdensity inside the fireball to fall to a minimum value of  $-1.21 \text{ kg/m}^3$ . Examination of results of the one-dimensional FAB calculation made by Kaman Avidyne and of the Los Alamos National Laboratory (LANL) fireball calculation reveal that the overdensity may fall as low as  $-1.22 \text{ kg/m}^3$ . A reasonable average was taken to be  $-1.21 \text{ kg/m}^3$ . Comparison with the 0.5 meter one-dimensional SAP calculation are also in good agreement.

The final change was made to the internal units conversion. The routines are now programmed for input and output in MKS units. The routines internally convert to cgs units before calculations are made and then back to MKS units before answers are output.

#### REFERENCES

1. Moulton, J., "Blast Phenomena from Explosions in Air," unpublished.
2. Galentine, P.G., "A Note Concerning Free Airblast Information from the "M" Problem", LA-1367, February 1952.
3. Needham, C.E., et.al., "Nuclear Blast Standard (1 KT)", AFWL-TR-73-55, April 1973.
4. Whitaker, W.A., "Theoretical Calculations of the Phenomenology of HE Detonations", AFWL-TR-66-141, November 1966.
5. Glastone, S., "The Effects of Nuclear Weapons", Atomic Energy Commission, 1962.
6. Brode, H.L., "Height of Burst Effects at High Overpressure", DASA-RM-6301, July 1970.
7. Lehto, D.L., Larson, R.A., "Long-Range Propagation of Spherical Shockwaves from Explosions in Air", NOLTR-69-88, July 1969.
8. "Proceedings of the DASA Shock Physics Land-Naval Systems Long-Range Planning Meeting", August 1971.
9. Davis, Dale S., "Nomography and Empirical Equations", Reinhold Publishing Corporation, New York, 1955.
10. Doan, L.R., Nickel, G.H., "A Subroutine for the Equation of State of Air", RTD(WLR) TN-63-2, May 1963.
11. Needham, C.E., et.al., "Nuclear Blast Standard (1 KT)", AFWL-TR-73-55, April 1975, (Revised).
12. Smiley, R.F., Ruetenik, J.R., Tomayko, M.A., "FAB Code Computations of a 1-KT Nuclear Free-Airblast Wave to Low Shock Overpressures", DNA-4825-F, January 1979.

## APPENDIX I

### COMPARISON OF THE FIT WITH THE 0.50 METER SAP CALCULATION


This appendix contains plots of hydrodynamic variables as a function of radius at given times. Also on each plot are the results of the AFWL SAP hydrodynamic code calculation which had 0.5 meter zones in the atmosphere. The 1-KT Standard is a fit to many calculations, the 0.5 meter SAP calculation is representative of those calculations, but does not constitute a "best fit". The SAP data are represented by the Symbol X, the continuous curve is the fit.

The radius of the shock front plotted here was calculated by the non-iterative procedure described as optional in the main text.




# OVERPRESSURE


TIME -  $3.000 \times 10^{-3}$



VELOCITY




# OVERDENSITY




SAP IKT STANDARD DX = .5 M


# MOMENTUM




# KINETIC ENERGY




# OVERPRESSURE



VELOCITY




# OVERDENSITY







# MOHENTUM




SAP IKT STANDARD DX-1.5 H




# OVERPRESSURE




VELOCITY



# OVERDENSITY




MOMENTUM



RADIUS M


SAP IKT STANDARD DX-5 M

# KINETIC ENERGY



SAP INT STANDARD DX-1.5 M


# OVERPRESSURE





VELOCITY


TIME -  $2.003 \times 10^{-2}$



SAP 1KT STANDARD DX-5 M


# OVERDENSITY

TIME -  $2.000 \times 10^{-2}$





SHP 1KT STANDARD DX-5 M

# MOHENTUM




# KINETIC ENERGY







VELOCITY



# OVERDENSITY




# MOMENTUM



SAP IKT STANDARD DX-.5 H




# KINETIC ENERGY




SAP 1KT STANDARD DX=-.5 M

# OVERPRESSURE




STP INT STANDARD DX-5 H

VELOCITY




SAP 1KT STANDARD DX=.5 M

# OVERDENSITY




# MOHENTUM

TIME -  $1.000 \times 10^{-1}$




SPP IKT STANDARD DX-5 H


# KINETIC ENERGY



# OVERPRESSURE




VELOCITY




SAP IKT STANDARD DX--.5 M




# OVERDENSITY



# MOMENTUM




# KINETIC ENERGY



# OVERPRESSURE


TIME -  $5.000 \times 10^{-1}$



SPP IKT STANDARD DX-5 H


VELOCITY

TIME -  $5.000 \times 10^{-1}$




SAP IKT STANDARD DX=-.5 M

# OVERDENSITY




SAP IKT STANDARD DX = 5 M

# HOPIENTUM




# KINETIC ENERGY







OVERPRESSURE




# VELOCITY



# OVERDENSITY




# MOMENTUM




# KINETIC ENERGY

TIME -  $1.000 \times 10^6$




SAP IKT STANDARD DX-.5 H

# OVERPRESSURE




VELOCITY

TIME -  $2.000 \times 10^8$



# OVERDENSITY

TIME -  $2.000 \times 10^9$




SAP IKT STANDARD CX-5 M




MOENTUM

TIME -  $2.000 \times 10^6$



RADIUS M  
SAP IKT STANDARD DX-5 M


# KINETIC ENERGY




# OVERPRESSURE

TIME -  $5.000 \times 10^0$


OVERPRESSURE PASOALS



SAP IKT STANDARD DX-.5 M




# OVERDENSITY



SAP IKT STANDARD DX=5 M


MOMENTUM

TIME -  $5.000 \times 10^6$



SFP 1KT STANDARD DX=.5 H

# KINETIC ENERGY




SAP IKT STANDARD DX-.5 H

## APPENDIX II


### COMPARISON OF 1-KT STANDARD WITH OTHER FITS

This Appendix contains comparisons of several parameters generated from the 1-KT Standard with those from References 1, 5, 6, and 12. When parameters were not available from these references, the 1-KT Standard is plotted alone.







TIME OF ARRIVAL VERSUS RADIUS




TIME OF ARRIVAL VERSUS RADIUS




TIME OF ARRIVAL VERSUS RADIUS




TIME OF ARRIVAL VERSUS RADIUS




OVERPRESSURE VERSUS RADIUS



OVERPRESSURE VERSUS RADIUS




OVERPRESSURE VERSUS RADIUS




OVERPRESSURE VERSUS RADIUS







OVERPRESSURE VERSUS RADIUS




OVERPRESSURE VERSUS RADIUS




OVERPRESSURE VERSUS RADIUS




OVERPRESSURE VERSUS RADIUS




OVERPRESSURE VERSUS RADIUS




OVERPRESSURE IMPULSE VERSUS RADIUS






PRESSURE VERSUS RADIUS







PRESSURE VERSUS RADIUS




DYNAMIC PRESSURE IMPULSE VERSUS RADIUS




DYNAMIC PRESSURE IMPULSE VERSUS RADIUS




PEAK NEGATIVE OVERPRESSURE VERSUS RADIUS



MATERIAL VELOCITY VERSUS RADIUS



MATERIAL VELOCITY VERSUS RADIUS



SHOCK VELOCITY VERSUS RADIUS

APPENDIX III  
PEAK OVERPRESSURES AS A FUNCTION OF RADIUS

This Appendix contains the peak overpressures as a function of radius as calculated by the 1-KT Standard.



PEAK OVERPRESSURE AS A FUNCTION OF RADIUS

<u>R(M)</u>	<u>OP (PASCALS)</u>	<u>OP (PASCALS)</u>	<u>R(M)</u>
10	3.16E8	1.E9	6.78
20	4.12E7	2.E8	11.67
30	3.04E6	1.E8	14.75
100	4.95E5	2.E7	25.66
200	1.05E5	1.E7	32.68
500	2.15E4	2.E6	58.30
1000	8.10E3	1.E6	75.73
2000	3.28E3	2.E5	147.3
5000	1.05E3	1.E5	204.8
10000	4.58E2	2.E4	525.5
20000	2.05E2	1.E4	856.3
50000	7.32E1	2.E3	2955.0
100000	3.41E1	1.E3	5190.0
		2.E2	20450.0
		1.E2	37770.0

APPENDIX IV  
FORTRAN LISTING

This Appendix contains a FORTRAN listing of the set of subroutines described in this report.



[illegible]

THE UNIVERSITY OF CHICAGO

100

1940-1941

**THE UNIVERSITY OF CHICAGO**

100

10

•

11

THIS ROUTINE IS PART OF THE JMA 1-KC STANDARD BY NEEDHAM, ET AL.

[illegible]

RECEIVED

```

SUBROUTINE TERROR (TNAME)
THIS ROUTINE IS PART OF THE CNA 1-RT STANDARD BY NEEDHAM ET AL.
WRITE (512) TNAME
STOP
FORMAT (1X,12H TIME ERROR,74H T =111.312H SECONDS IN ROUTINE 1A6
1(1X)
END

```

SUBROUTINE WELL (T,R,DEPTH)

THIS ROUTINE IS PART OF THE CNA 1-KT STANDARD BY NEEDHAM, ET AL.

COMMON /WRT/ PRAD,OPPK,ODPK,OPK,OPRI,ODRIVR,RZP,RZD

DEPTH=ODR

ODR=MAX(1,(R-7\*RTD)/1.55E4)

IF (T.CT/1.2.GR.R.GT.RMSW) GO TO 2

DEPTH=MAX(1,(-1.21E-3)\*(-1.5E-5+X\*(-2.5-13\*R+4.5)))

IF (T.CT/1.2.GT.RMSW) DEPTH=1.2-1.0\*DEPTH

IF (R.CE/0.9.RMSW) DEPTH=10.0\*(DEPTH+(RMSW-R)+ODR\*(R-0.9\*RMSW))

RMSW

RETURN

END

FUNCTION WFR (T)

CALCULATES THE WAVEFORM RADIUS AT ZERO OVERPRESSURE;  
FOR A GIVEN TIME, THE GAUSS SEPARATING THE NEGATIVE AND  
POSITIVE PHASE PORTIONS OF THE WAVEFORM, AT THE  
SPECIFIED TIME (T).

WFR IS NOT DEFINED FOR TIMES LESS THAN  
0.0001 SECONDS BECAUSE FOR THESE  
TIMES THE WAVEFORM DOES NOT EXHIBIT  
A NEGATIVE PHASE

T = TIME (SEC)  
WFR = RADIUS (CM)

THIS ROUTINE IS PART OF THE DVA 1-KT STANDARD BY NEEDHAM, ET AL.

DATA 8/8.83251/1C/-1.866/1CZ/33897.2/18Z/8498.2/

WFR=0.0  
IF (1.0-T.0.0) CALL TERROR (T,MMFTS)  
IF (1.0-T.0.0) WFR=(1.0-Bot+3.0\*(CZ+7.0Z)  
RETURN  
END



FUNCTION RFR2(T)

THIS ROUTINE CALCULATES THE RADIUS OF THE SHOCK FRONT  
FOR A SPECIFIED TIME.

THIS ROUTINE IS PART OF THE DINA 1-KT STANDARD BY NEEDHAM, ET AL.

$R1 = 242.0 * T + 0.371 * (1. + 1.25 * T + 1.23) * (1. - \exp(-24.25 * T + .791))$   
 $R2 = 21.4 * T + 0.119 * T^2 + 0.0677 * (338 / (T + 10.)) - 0.165 * T + 2.55$

IF (R1 < R2) THEN  
R = R1  
ELSE  
R = R2  
RETURN R  
END

FUNCTION WFFKOD (DUMMY)

THIS ROUTINE IS PART OF THE DNA 1-KT STANDARD BY NEEDHAM, ET AL.

COMMON /WFFK/ PRAD,OPPK,ODPK,OPK,OPR,ODR,VR,ARZ,RED,REV,OPMN,ODMN,  
LVNN

DATA RHOZ/1.225E-3/OPZ/1.01325E6/ICAMM1/.404574/

ICOPPK  
RT1=OPZ/OPZ  
C=OP-OPZ  
OMONE=ICAMM1  
GAMMA=ICAMM1+1.3  
GAMRA=GAMMA

DO 2 N=1,28  
RHO1=RT1\*(12.\*GAMRA+(GAMRA-1.)\*RT1)/(12.\*GAMRA+(GAMRA-1.)\*RT1)  
RHO2=(OMONE+RHO1)  
CALL G1C1EB(RHO1,OMONE,ICU1,ICU2)  
GAMRA=ICU1+OMONE/(2.5\*OMONE+1.3)+1.3  
IF (ABS(GAMRA-ICAMM1).LT.1.0E-5) GO TO 3  
CONTINUE

RHO=ICU1-RHO1-RHO2  
RETURN  
END

FUNCTION WPKV (DUMMY)

THIS ROUTINE IS PART OF THE DNA 1-KT STANDARD BY NEEDHAM, ET AL.

COMMON /WERT/ PRAD,OPFK,ODPK,VPK,OPR,ODR,VR,RZP,RZD,RZV,OPMN,ODMN,  
IVNN

DATA RHQZ/1.225E-3/

WPKV=SQRT(OPFK\*ODPK/(RHQZ\*(RHQZ-ODPK)))

RETURN  
END

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
219

ROUTINE WFRMT (TFR)

THIS ROUTINE IS PART OF THE DNA 1-NT STANDARD BY NEEDHAM, ET AL.

COMMON /WFRMT/ FRAD,OPFK,ODPK,VFK,OPR,CDR,VR,RZP,RZD,RZV,OF,N,ODMN,  
SVN

DATA TTOLD/8.8/

BEK=FRAD

IF (T.LT.8.2) GO TO 3

BEK=BEK\*1.E-5

IF (T.EQ.TTOLD) GO TO 2

BE=BE

SVN=2-9.71683\*BE+1.1213

BEK=BEK\*1.E-5

BEK=BEK\*1.E-5

BEK=BEK\*2.2E-5\*BE+(-1.6826)

ODN=BEK\*ODPK

OPR=BEK\*OPR

VR=BEK\*VR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

OPR=BEK\*OPR

CDR=BEK\*CDR

FRAD=BEK\*FRAD

OPFK=BEK\*OPFK

ODPK=BEK\*ODPK

VFK=BEK\*VFK

FUNCTION AFDER (7)

THIS ROUTINE IS PART OF THE DNA 1-KT STANDARD BY NEEDHAM, ET AL.

DATA 278.00-99,10/-1.268/10Z/33397.0/132.8490.0/

AFDER=0.0

IF (1.0-1.0) CALL TERRACE (7,5,25)

IF (1.0-1.0) GOTO 1000

IF (1.0-1.0) GOTO 1000

IF (1.0-1.0) GOTO 1000

RETURN

END



FUNCTION WFVZR (T)

THIS ROUTINE IS PART OF THE CNA 1-KT STANDARD BY NEEDHAM, ET AL.

DATA 5/8.88459/;C/-1.34/;CZ/33677.8/;ZZ/8498.8/

WTVCB=0.0

IF (T.EQ.0.0) CALL TERROR (T,WFVZR)

IF (T.EQ.0.0) GO TO 1000

IF (T.EQ.0.0) GO TO 1000

RETURN

END





1. THE SUBJECT, NAME, ADDRESS, CITY, STATE, ZIP CODE, COUNTRY, AND PHONE NUMBER, IS THE SUBJECT FROM: NAME, ADDRESS, CITY, STATE, ZIP CODE, COUNTRY, AND PHONE NUMBER.

THIS ROUTINE IS PART OF THE CIA 1-47 STANDARD BY NEEDHAM, ET AL.

DATA AC/3, JUNE 1974; 1. JUNE 4, 1974; 7. JUNE 1974; 4. JUNE 1974;

126

[illegible]

1. The first part of the document is a list of names and titles, including "The Hon. Mr. Justice" and "The Hon. Mr. Justice".

1

100

3

3

1  
2  
3  
4  
5






## APPENDIX V

### PARAMETER VERSUS TIME PLOTS AT SELECTED RADII


This Appendix contains parameter versus time plots at selected radii. The parameters include overpressure, overpressure impulse, velocity, dynamic pressure, and dynamic pressure impulse. The radii were chosen as those corresponding to pressure levels of 10,000, 1000, 100, 10, 1, and 0.5 psi.

# OVERPRESSURE VS. TIME




1-NT STANDARD

# OP IMPULSE VS. TIME



1-KT STANDARD


# VELOCITY VS. TIME



1-KT STANDARD




# DYNAMIC PRESSURE VS. TIME




1-KT STANDARD

# DP IMPULSE VS. TIME




1-KT STANDARD

# OVERPRESSURE VS. TIME




1-KT STANDARD

# OP IMPULSE VS. TIME




1-KT STANDARD

# VELOCITY VS. TIME




1-KT STANDARD

# DYNAMIC PRESSURE VS. TIME




1-KT STANDARD

# DP IMPULSE VS. TIME



1-KT STANDARD


# OVERPRESSURE VS. TIME



1-KT STANDARD




# OP IMPULSE VS. TIME




1-KT STANDARD

# VELOCITY VS. TIME




1-KT STANDARD

# DYNAMIC PRESSURE VS. TIME




1-KT STANDARD

# DP IMPULSE VS. TIME




1-KT STANDARD

# OVERPRESSURE VS. TIME




1-KT STANDARD

# OP IMPULSE VS. TIME




1-KT STANDARD

# VELOCITY VS. TIME



1-RT STANDARD


# DYNAMIC PRESSURE VS. TIME



1-KT STANDARD




# DP IMPULSE VS. TIME




1-KT STANDARD

# OVERPRESSURE VS. TIME




1-KT STANDARD

# OP IMPULSE VS. TIME




1-KT STANDARD

# VELOCITY VS. TIME




1-KT STANDARD

# DYNAMIC PRESSURE VS. TIME




1-KT STANDARD

# DP IMPULSE VS. TIME




1-KT STANDARD

# OVERPRESSURE VS. TIME



1-KT STANDARD


# OP IMPULSE VS. TIME



1-KT STANDARD




# VELOCITY VS. TIME




1-KT STANDARD

# DYNAMIC PRESSURE VS. TIME



1-KT STANDARD

# DP IMPULSE VS. TIME



1-KT STANDARD

## DISTRIBUTION LIST

### DEPARTMENT OF DEFENSE

Assistant to the Secretary of Defense  
Atomic Energy  
ATTN: Executive Assistant

Defense Intelligence Agency  
ATTN: RDS-2A  
ATTN: J. Surfanting  
ATTN: P. Johnson  
ATTN: V. Fratske

Defense Nuclear Agency  
ATTN: SPSS, G. Ullrich  
ATTN: SPSS, T. Dwevy  
4 cy ATTN: TITL

Defense Technical Information Center  
2 cy ATTN: DO

Field Command  
Defense Nuclear Agency  
ATTN: FCYT  
ATTN: FCPN, J. McDaniel

Field Command  
Defense Nuclear Agency  
Livermore Branch  
ATTN: FCPRL

Joint Strat Tgt Planning Staff  
ATTN: XPPS  
ATTN: NRI-STINFO Library

Under Secretary of Def for Resch & Engrg  
Department of Defense  
ATTN: Strategic & Space Sys (OS)

### DEPARTMENT OF THE ARMY

BMD Advanced Technology Center  
Department of the Army  
ATTN: ATC-T

BMD Systems Command  
Department of the Army  
ATTN: BMDSC-HLE, R. Webb

Chief of Engineers  
Department of the Army  
ATTN: DAEN-MPE-T, U. Reynolds

Harry Diamond Laboratories  
Department of the Army  
ATTN: DELHD-MM-P  
ATTN: DELHD-TA-L

U.S. Army Ballistic Research Labs  
ATTN: DRDAR-TSB-S  
ATTN: DRDAR-BLT, J. Keefer  
ATTN: DRDAR-BLT, W. Kitchens

U.S. Army Cold Region Pts Engr Lab  
ATTN: Library

### DEPARTMENT OF THE ARMY (Continued)

U.S. Army Engineer Center  
ATTN: Technical Library

U.S. Army Engineer Div Huntsville  
ATTN: MNDEN-FO

U.S. Army Engr Waterways Exper Station  
ATTN: WESSS, J. Ballard  
ATTN: WESSA, W. Plathaw  
ATTN: WESSD, J. Jackson  
ATTN: J. Zelanko  
ATTN: Library

U.S. Army Material & Mechanics Resch Ctr  
ATTN: Technical Library

U.S. Army Material Dev & Readiness Cnd  
ATTN: DRUM-FL

U.S. Army Nuclear & Chemical Agency  
ATTN: J. Simms  
ATTN: Library

### DEPARTMENT OF THE NAVY

Naval Civil Engineering Laboratory  
ATTN: Code LQBA  
ATTN: Code LBJ, J. Forrest

Naval Postgraduate School  
ATTN: Code 1424, Library  
ATTN: G. Lindsey

Naval Research Laboratory  
ATTN: Code 4040, D. Book  
ATTN: Code 2627  
ATTN: Code 4040, J. Boris

Naval Surface Weapons Center  
ATTN: R44, H. Glaz  
ATTN: Code X211  
ATTN: Code F31

Naval Surface Weapons Center  
ATTN: Tech Library & Info Svcs Br

### DEPARTMENT OF THE AIR FORCE

Air Force Institute of Technology  
ATTN: Library  
ATTN: ENA

Air Force Systems Command  
ATTN: DLMM

Air University Library  
Department of the Air Force  
ATTN: AUL-LSE

**CONTINUED DATA ELEMENTS AND TRAINING**

DEPARTMENT OF THE AIR FORCE (Continued)

Air Force Weapons Laboratory  
Air Force Systems Command  
ATTN: NTE, M. Plamondon  
ATTN: NTES-B  
ATTN: NTED  
ATTN: NT, D. Payton  
ATTN: NTES-A  
ATTN: SUL  
ATTN: NTES-R  
ATTN: NTED  
ATTN: DEY

Assistant Chief of Staff  
Intelligence  
Department of the Air Force  
ATTN: IN

Assistant Chief of Staff  
Studies & Analyses  
Department of the Air Force  
ATTN: AF/SAH

Assistant Secretary of the AF  
Research, Development & Logistics  
Department of the Air Force  
ATTN: SAFALR/DEP for Strat & Space Sys

Ballistic Missile Office/DAA  
Air Force Systems Command  
ATTN: ENSN, D. Gage  
ATTN: EN, W. Crabtree  
ATTN: ENSN, M. Delvecchio

Research, Development, & Acq  
Department of the Air Force  
ATTN: AFRDPN  
ATTN: AFRDQI  
ATTN: AFRDQI, N. Alexandrow

Strategic Air Command  
Department of the Air Force  
ATTN: XPFS, Maj Garmersad  
ATTN: NRI-STINFO Library  
ATTN: INT, E. Jacobsen

Vela Seismological Center  
ATTN: G. Ullrich

OTHER GOVERNMENT AGENCY

Central Intelligence Agency  
ATTN: OSWR/NEO

DEPARTMENT OF ENERGY CONTRACTORS

Lawrence Livermore National Lab  
ATTN: D. Glenn

Los Alamos National Laboratory  
ATTN: R. Sanford  
ATTN: C. Keller

Sandia National Lab  
ATTN: J. Banister  
ATTN: 4833, J. Reed  
ATTN: A. Chabal  
ATTN: Org 1250, W. Brown

DEPARTMENT OF DEFENSE CONTRACTORS

Acurex Corp  
ATTN: C. Wolf

Aerospace Corp  
ATTN: H. Mirels  
ATTN: Technical Information Services

Agabian Associates  
ATTN: M. Agabian

Applied Research Associates, Inc  
ATTN: J. Bratton  
ATTN: N. Higgins

Applied Theory, Inc  
2 cy ATTN: J. Trullio

Artec Associates, Inc  
ATTN: S. Gill

Astron Research & Engineering  
ATTN: J. Huntington

Boeing Co  
ATTN: Aerospace Library  
ATTN: S. Strack

California Research & Technology, Inc  
ATTN: Library  
ATTN: M. Rosenblatt

Clark University  
Department of Physics  
ATTN: D. Sachs

Computer Sciences Corp  
ATTN: F. Eisenbarth

University of Denver  
ATTN: J. Wisotski

Dynamics Technology, Inc  
ATTN: D. Hove

Eric H. Wang  
Civil Engineering Resch Fac  
ATTN: J. Kovarna  
ATTN: P. Lodge

M-Tech Labs, Inc  
ATTN: S. Hartenbaum

IIT Research Institute  
ATTN: Documents Library

J. D. Heitmaninger Consult Eng Svcs  
ATTN: M. Hall

J. H. Wiggins Co, Inc  
ATTN: J. Collins

Kaman Aviodyne  
ATTN: R. Ruetenik

Kaman Sciences Corp  
ATTN: D. Sachs

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Kamen Tempo  
ATTN: DASIAC

Kendon Associates  
ATTN: R. Dannenberg  
ATTN: J. Owen

Martin Marietta Corp  
ATTN: D-6074, G. Freyer

McDonnell Douglas Corp  
ATTN: D. Dean  
ATTN: R. Halprin  
ATTN: H. Hardman

Marriott CASES, Inc  
ATTN: Library

Mission Research Corp  
ATTN: G. McCarter  
ATTN: C. Longmire

Pacific-Sierra Research Corp  
ATTN: H. Brode

Pacific-Sierra Research Corp  
ATTN: D. Gormley

Pacific Technology  
ATTN: Tech Library

Patel Enterprises, Inc  
ATTN: M. Patel

Physics International Co  
ATTN: Technical Library  
ATTN: J. Thomsen  
ATTN: F. Sauer

R & D Associates  
ATTN: J. Lewis  
ATTN: J. Carpenter  
ATTN: A. Kuhl  
ATTN: Technical Information Center  
ATTN: R. Port  
ATTN: P. Haas

Science Applications, Inc  
ATTN: R. Schlaug  
ATTN: H. Wilson  
ATTN: Technical Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Science Applications, Inc  
ATTN: M. Layson  
ATTN: B. Chambers, III  
ATTN: J. Cockayne

SRI International  
ATTN: J. Colton  
ATTN: Library  
ATTN: G. Abrahamson

Systems, Science & Software, Inc  
4 cy ATTN: J. Crepeau  
20 cy ATTN: C. Needham

Systems, Science & Software, Inc  
ATTN: J. Barthel  
ATTN: C. Hasting  
ATTN: C. Dismukes  
ATTN: K. Pysst  
ATTN: Library

Systems, Science & Software, Inc  
ATTN: J. Murphy

Teledyne Brown Engineering  
ATTN: F. Leopard  
ATTN: J. McSwain  
ATTN: J. Ford

Terra Tek, Inc  
ATTN: A. Abou-Sayed  
ATTN: Library

TRW Electronics & Defense Sector  
ATTN: N. Lipner  
ATTN: Technical Information Center  
ATTN: T. Mazzola

TRW Defense & Space Sys Group  
ATTN: P. Dai  
ATTN: E. Wong  
ATTN: G. Hulcher

Weidinger Assoc, Consulting Engrg  
ATTN: I. Sandler

Weidinger Assoc, Consulting Engrg  
ATTN: J. Isenberg

**BLANK PAGE**